


FIELD INSTALLATION QUICK GUIDE

Installation Instructions

7400208B-020 DI2301

Digital input baseplate



PRODUCT	7400208B-020 DI2301
FAMILY	Triconex safety system
FUNCTION	Digital input baseplate
STATUS	Verify exact installed equipment

Prepared by Amikon Limited from Triconex documentation. This guide supplements the complete manufacturer manual and site procedure.

01

CONFIRM THE ORDERED CONFIGURATION


Component Type	Digital input baseplate
Order Reference	7400208B-020 DI2301
System Platform	Triconex safety control system
Primary Function	Terminates commoned digital inputs
Circuit Capacity	32 input channels
Nominal Supply	24 V DC field power

02

PREPARATION AND CONNECTION

- Confirm the complete 7400208B-020 DI2301 article number and installed revision.
- Isolate applicable electrical and process energy using the approved site procedure.
- Record every connector, cable, terminal, shield and protective-earth connection before removal.
- Install without forcing keyed parts, then secure terminals, latches, fasteners and cable supports.

Model 2301 Digital Input Baseplate Field Connections



04 COMMISSIONING CHECKS

- 01 Confirm product identity and mechanical seating.
- 02 Verify the documented supply before energising.
- 03 Inspect polarity, shielding and protective-earth connections.
- 04 Restore power in the approved sequence and observe status indications.
- 05 Test each connected input, output or communication path.
- 06 Record diagnostics and functional-test results before return to service.

05 CONTROLLED DOCUMENT

Official source	Trident Planning Installation Guide
Product record	7400208B-020 DI2301
Manufacturer	Triconex
Warranty	12 months from AMIKON
Support	INFO@AMIKON.CN

AMIKON PRODUCT SUPPORT

+86-18020776786

INFO@AMIKON.CN

AMIKONG.COM