

MANUFACTURER DOCUMENT PACKAGE

Manufacturer's Manual

Reference package for procurement and maintenance review

SIEMENS SIMATIC S5

C79458-L2343-A2

OPERATOR COMMUNICATION MODULE

Used with the applicable TELEPERM M OS 525 configuration.

REFERENCE PACKAGE

OFFICIAL DOCUMENT

Selected official manufacturer pages follow this cover.

Source: Siemens official product documentation

TELEPERM M

OS 525 Operator Communication and Visualization System

Manual

Order No. C79000—G8076—C522—04

Contents	Reg.
Important Notes Information C79000—R8076—C522 Suggestions/Corrections	
Instructions C79000—B8076—C522 E4 Contents	
Introduction	1
Installation and Commissioning	2
Configuring with OS—SET	3
Description of the Devices	4
I/O Devices	5
Service and Maintenance	6
Applicable Documents	7
Index	8
Spare Parts List C79000—E8076—C522—04	9
Instructions C79145—A3072—X100—1—191) PM54/C2 Color Monitor 6AV8011—1LE62—0FA0	10
Instructions C79145—A3070—X100—1—191) CAE Color Monitor SCM2185 6GF6100—1AA	

- 1) Please take the Instructions from the packaging of the delivered devices and file it in the corresponding register. These Instructions does not belong to the Manual. When reordering please specify the Instructions Order No.

9 Spare Parts List OS 525

Item	Designation	Order No.	Spare part cat. *)	Qty.	Remarks
1	Operator input devices				
2	Membrane keyboard German	6GF6710-2AB	N	1	
3	Membrane keyboard international	6GF6710-2BB	N	1	
4	Mouse	6GF6810-1AA	N	1	
5	TK200 standard keyboard German / international	6GF6710-1AA	N	1	
6	Pres.-sens. keyboard German	6GF6710-2AA	N	1	
7	Pres.-sens. keyboard internat.	6GF6710-2BA	N	1	
8	I/O modules				
9	CP1413 (SINEC-H1)	C79458-L2343-A2	R1	1	
10	CP5412 (SINEC L2)	6GK1541-0AB01	R1	1	
11	FU-AT radio-contr. clock	6AD1017-0AA01	N	1	
12	HIGRAF II	C79458-L2350-A1	R1	1	
13	Local bus interface N-AT	6DS1222-8BA	R1	1	
14	SCSI controller	C75451-Z1349-U1	R1	1	
15	Signal module	6DS1916-8AA	R1	1	
16	Drives				
17	3.5" floppy disk drive	C79451-Z1-U125	N	1	
18	5 1/4" floppy disk drive	6AB1013-4GA10	N	1	For ES500 only
19	3.5" hard disk drive IDE 850 MB	C79451-Z1423-K3	R1	1	
20					
21	MO drive 2.3 GB	C75451-Z1468-U2	R0	1	
22	Monitor				
23	SCM 2185 color monitor	6GF6100-1AA	N	1	
24	PM54/C2 process moni- tor, desktop unit	6AV8011-1LE62-0KA0	R7	1	